


The Telescopic System

Technical data material: Al Mg Si 0,5 F22 tensile strength: 220 N/mm ² surface: natural anodised		
W core hole Ø6.4 for thread M8 		
X core hole Ø5.0 for thread M6 		
Y 		
Description	Telescopic profile 80×80, 8E, SBP	
bar, 6 m	9.11.080080.83SBP.60	
moment of inertia cm ⁴	$I_x = 150.0 \quad I_y = 150.0$	
moment of resistance cm ³	$W_x = 37.5 \quad W_y = 37.5$	
weight kg/m	G = 5.3	

heavy			heavy		
Technical data material: Al Mg Si 0,5 F22 tensile strength: 220 N/mm ² surface: natural anodised			Technical data material: Al Mg Si 0,5 F22 tensile strength: 220 N/mm ² surface: natural anodised		
W core hole Ø6.4 for thread M8 	W core hole Ø6.4 for thread M8 				
X core hole Ø5.0 for thread M6 	X core hole Ø5.0 for thread M6 				
Y 	Y 				
Description	Telescopic profile 120×120, 12E, SP		Description	Telescopic profile 160×160, 16E, SP	
bar, 6 m	9.11.120120.123SP.60		bar, 6 m	9.11.160160.163SP.60	
moment of inertia cm ⁴	$I_x = 554.0 \quad I_y = 554.0$		moment of inertia cm ⁴	$I_x = 1,424.0 \quad I_y = 1,424.0$	
moment of resistance cm ³	$W_x = 93.0 \quad W_y = 93.0$		moment of resistance cm ³	$W_x = 178.0 \quad W_y = 178.0$	
weight kg/m	G = 7.8		weight kg/m	G = 10.7	

Sliding blocks for telescopic profile




Application

Guide slot for telescopic profiles with sliding blocks


Technical data

material: PA, Murlubric
colour: green

Guide Variations






Sliding block, stationary



Sliding block, running




Sliding block, stationary for telescopic profile



Description

Description	Weight	Article-No.
Sliding block, stationary, 40x36.5	7.6 g	9.67.1014036
Bush for sliding block, stationary	10.8 g	9.67.1024
Setscrew, special, M6x16, with spherical head, stainless	2.6 g	0.63.MT091X.06016
Hexagonal nut, flat, DIN 439 - M6	2.2 g	0.61.D00439.M06

Sliding block, running for telescopic profile



Description

Description	Weight	Article-No.
Sliding block, running, 50x36.5	10.5 g	9.67.1015036
Feather key, A 12x8x40, thread M6, with 2 dowel pins	26.0 g	9.67.1024.1208040
Setscrew, special, M6x16, with spherical head, stainless	2.6 g	0.63.MT091X.06016
Hexagonal nut, flat, DIN 439 - M6	2.2 g	0.61.D00439.M06

Page	Article-No.	Description	bar		
			length (m)	€/m	€/bar
2	9.11.080080.83SBP.60	Telescopic profile 80×80, 8E, SBP	6	53.33	320.00
2	9.11.120120.123SP.60	Telescopic profile 120×120, 12E, SP	6	80.02	480.10
2	9.11.160160.163SP.60	Telescopic profile 160×160, 16E, SP	6	115.82	694.90

Page	Article-No.	Description	1 Piece	PU = 100 Pcs	
			€/Piece	€/Piece	€/PU
3	0.61.D00439.M06	Hexagonal nut, flat, DIN 439 - M6	0.17	0.153	15.30
3	0.63.MT091X.06016	Setscrew, special, M6×16 with spherical head, stainless	0.66	0.594	59.40
3	9.67.1014036	Sliding block, stationary, 40×36.5	4.25	3.825	382.50
3	9.67.1015036	Sliding block, running, 50×36.5	2.95	2.655	265.50
3	9.67.1024	Bush for sliding block, stationary	2.85	2.565	256.50
3	9.67.1024.1208040	Feather key, A 12×8×40, thread M6, with 2 dowel pins	3.69	3.321	332.10

Commercial Terms and Conditions

- Prices:
- All prices are valid in EURO.
 - Prices do not include freight and packing.
 - Sales Tax, if payable, will be charged at the applicable rate.
 - Unless otherwise specified, all prices listed are for one item.

- Payment:
- 2 % discount if paid within 14 days. All balances are due within 30 days of invoice.
 - F.O.B. Shipping Point.

- Minimum Order:
- A surcharge of EURO 15.00 will apply to all orders less than EURO 150.00.

- Restocking Fee:
- In case of returned goods, a 20 % restocking fee will be charged with a minimum fee EURO 25.00.

- Price Validity:
- This price list replaces all previous price lists. Error and price change are excepted.

- Conditions:
- Subject to the 'General Terms and Conditions of Sale' available on request.

Imprint

Subject to technical modification.
 All rights reserved.
 Copying - also in parts - only allowed by written consent.
 © MayTec Aluminium Systemtechnik GmbH,
 D - 85221 Dachau, 2008

Australia

MayTec Australia P/L
 Unit 1, 8 Prosperity Parade
 Warriewood, NSW 2102

country code: +61
 phone (0) 2 / 9999 0890
 fax (0) 2 / 9979 8703
 e-mail: info@maytec.com.au
 http://www.maytec.com.au

Germany

MayTec Aluminium
 Systemtechnik GmbH
 Kopernikusstraße 20
 D - 85221 Dachau

country code: +49
 phone (0) 8131 / 33 36 - 0
 fax (0) 8131 / 33 36 - 119
 e-mail: mail@maytec.de
 http://www.maytec.de

USA

MayTec Inc.
 1625 Dundee Ave., Unit E-F
 Elgin, IL 60120

country code: +1
 phone 847 - 429 - 0321
 fax 847 - 429 - 0460
 e-mail: mail@maytecinc.com
 http://www.maytecinc.com

Your professional partner